Create lightfull happiness

COLLECTION 2025



Enjoy special moments


Garden lights has a wide range of **12-Volt outdoor lighting**. Gather inspiration from our brochure, social media channels and visit our stockists.

GIRI

2


Outdoor lifestyle	6
The system	9
Zigbee / Wi-Fi	10
Smart lights	12
Spotlights	14
Wall lights	16
Post lights	18
Deck- / Uplights	20
Decorative lights	22
Sets	24
Accessories	26

Very easy to install yourself





Without garden lighting



Advantages 12 Volt system

- Very easy to install yourself
- It is not necessary to bury cables
- Safe for people and animals
- Easy to expand



outdoor lifestyle

Whether spring, summer, autumn or winter, the 12-Volt outdoor lighting from

Outdoor lighting plays a major role in the design of a garden. With outdoor lighting, you can be creative in combining atmosphere and functionality. Garden Lights has a wide range of fixtures that will suit all tastes and budgets, whether you want to enjoy beautiful wall lighting or shine a spotlight on a hedge or shrub. With some spotlights, post or decklights, there is a solution in the range for every tree, shrub, pathway or decking!

Outdoor lighting is used for various different functions. Of course, we often talk about creating a visually appealing garden, but lighting can also be functional. Are you tired of returning home in the evening to a dark pathway leading to your front door? Illuminate the path using beautiful post lights. These are also really important for safety reasons.



Safe for children and animals



Scan the QR code for all nstallation videos or go to www.youtube.com/GardenLights.

Easy installation

1. Lighting

Whitin our wide product range, you select the fixtures with which you want to attractively illuminate your garden, driveway, fence, or pond. See page 12-25.

2. Transformer


The total wattage of your chosen lighting determines the wattage of the required transformer. Add up the number of watts of the lights + accessories. You can then choose a 24, 60 or 150-watt transformer. Tip: always provide some extra space in terms of wattage if you choose to add a light or accessory in the future. See page 26.

3x Wall light Mauri:	18 watt
2x Spotlight Neso:	4 watt
4x Post light Limosa 70:	14 watt
Total	36 watt

Advice: 60 watt Transformer

3. Main cable

The Flex main cable **without** fixed connectors is available in 10, 25 and 50 meters. With the separately available Flex connectors you can choose where to connect the lamp to the main cable. If necessary, you can expand the system with a cable divider, an extension cable and/or other accessories. See page 27.



You simply place, wherever you want, the Flex connector female on the cable. Open the connector, insert the cable and close the cover. Then connect the cable from the lamp to the Flex connector female.

Make your garden SMART with Garden Lights!

Bring your garden to life with the new smart products from Garden Lights! Transform your garden into a colourful setting or have the lights come on automatically when it gets dark. With the Smart Life app, you have everything under control!

Anytime, anywhere control: Control your garden lights via the Smart Life app, wherever you are. Energy-efficient and sustainable: Zigbee technology ensures low energy consumption and longer lifespan. Smart features: Automation with an astronomical clock and up-to-date weather forecasts. User-friendly app: Intuitive control and personalisation within one platform. Seamless integration: Compatible with other Tuya-controlled smart devices. Reliable connectivity: Stable communication thanks to Zigbee and Wi-Fi. Safety and convenience: Simulate presence with programmed lighting schedules.







Smart control

Garden Lights smart is the solution when you want to make your garden smart. With the handy Smart Life app, you can switch your lights on and off with the click of a button, dim the lights and use the colour wheel to choose from millions of different colours.

Our smart solution uses Zigbee and Wi-Fi technology. Wi-Fi connects you to the internet, allowing you to control your smart system from anywhere in the world via the Smart Life app. Whether you are at home or travelling, you are always in control. Via the app, you also benefit from handy features, such as the astronomical clock and weather forecasts, which make your garden lighting even smarter.

Zigbee allows your smart devices to communicate with each other in a so-called mesh network. This network strengthens the interconnections between Zigbee products, so you can install lights in places without Wi-Fi coverage. In addition, Zigbee is energy-efficient, ensuring that your smart products have a longer lifespan.



Experience the comfort of SMART garden lighting



ake it S



💋 zigbee

Arco 40 Smart (Zigbee)

3219011

RGB 5 W 280 lumen Aluminum - Black 410 x 65 x 65 mm (H x W x D) Gateway Smart required



Round 30 Smart (Zigbee)

2615451

RGB 5 W 280 lumen Polyethylene - White Ø 300 mm Gateway Smart required



Rubum Smart (Zigbee)

3220011

RGB 5 W 280 lumen Aluminum - Black 100 x 155 x 155 mm (H x W x D) Including ground tube Drillhole 120 mm Ø Gateway Smart required



Round 40 Smart (Zigbee)

2616451 RGB 5 W 280 lumen Polyethylene - White Ø 400 mm

Gateway Smart required



3221011

RGB 5 W 280 lumen Aluminum - Black 180 x 75 x 150 mm (H x W x D) Gateway Smart required

Focus Smart (Zigbee)

💋 zigbee



Round 50 Smart (Zigbee)

2617451 RGB 5 W 280 lumen Polyethylene - White Ø 500 mm Gateway Smart required





Camera Smart (Wi-Fi)

6299451

Synthetic - White 71 x 66 x 188 mm (H x W x D) Consumption 7 watt Switch Smart required

- · Combines motion with smart outdoor lighting
- Detects motion up to 10m
- Detection angle 65°
- Cloud data storage
- · (optional) Local storage on micro SD card
- IP65 certified product
- Night vision (IR) Install max. 40 meters from router



Gateway Smart (Zigbee)

6319451

Synthetic - White IP 20 64 x 64 x 15 mm (H x W x D) The Gateway translates the Wi-Fi signal to Zigbee. Thus, the Gateway provides communication with our Smart luminaires and Motion Sensor Smart.

Gateway Smart required Garden

0

3222011

280 lumen

Aluminum - Black

145 x 63 x 105 mm (H x W x D)

RGB 5 W



Switch Smart (Wi-Fi)

6298011

Synthetic - Black

Minimal load: 5W







💋 zigbee

Gilvus Smart (Zigbee)

3223011

RGB 5 W 280 lumen Aluminum - Black 80 x 67 x 92 mm (H x W x D) Gateway Smart required



75 x 70 x 30 mm (H x W x D)



Motion Sensor Smart (Zigbee)

6320451

Synthetic - White Detection range up to 10 meters Detection angle 120 degrees Includes 2 AAA Batteries 70 x 70 x 32 mm (H x W x D) Gateway Smart required



MR16 LED 5W Smart (Zigbee)

6288011

Synthetic - White RGB 5 W 280 Lumen 48 x 49 x 49 mm (H x W x D)



Spots

Use Garden Lights spotlights to elegantly light plants or statues and draw attention to your favourite garden features!

Raf



180 x 75 x 150 mm (H x W x D) Gateway Smart required



Warm white 3,4 W 320 lumen Aluminum - Black 77 x 77 x 156 mm (H x W x D)



💋 zigbee



Gateway Smart required



2,7 W 250 lumen Aluminum - Black 45 x 45 x 94 mm (H x W x D)

Warm white

Jona Tube 3226011

The Jona Tube is an accessory for the Jona spotlight. Simply attach the Jona spotlight to the tube. Place the tube with ground spike in your garden to direct lighting from above or aim the spotlights at taller plants.

Raf



Lovi

Warm white 1,8 W 150 lumen Aluminum - Black 139 x 105 x 95 mm (H x W x D)

Alder

Warm white

150 lumen

2580063

Minus

Synthetic - Anthracite

1,8 W

Warm white 2 W 150 lumen Metal - Black 120 x 75 x 58 mm (H x W x D)

Catalpa







Warm white 2,6 W 230 lumen Stainless steel 304 125 x 80 x 80 mm (H x W x D)

4121603

Corvus



Warm white 5 W 380 lumen Aluminum - Black

190 x 85 x 130 mm (H x W x D)

Warm white 2 W 100 lumen Aluminum - Gun metal

Flood 12

Warm white 12 W 750 lumen Aluminum - Black 150 x 154 x 45 mm (H x W x D)

Suitable for continuous underwater use

Arigo

Cylon

Warm white

230 lumen

Polvresin - Granite black

100 x 100 x 100 mm (H x W x D)

3578501

2,6 W

Warm white 2,6 W 230 lumen Stainless steel 304 125 x 90 x 68 mm (H x W x D)

Protego Warm white

5 W 380 lumen Stainless steel 304 140 x 100 x 120 mm (H x W x D)

14





Warm white 2 W 380 lumen Metal - Black 90 x 80 x 130 mm (H x W x D)





135 x 40 x 95 mm (H x W x D)



70 x 35 x 90 mm (H x W x D)



Arcus

Warm white 5 W 380 lumen Aluminum - Black 145 x 63 x 115 mm (H x W x D)



Neso

Warm white 2 W 150 lumen Polypropylene - Black 220 x 38 x 70 mm (H x W x D)

Also as a set! (page 25) 2606063





Nano

Warm white 1,8 W 150 lumen Aluminum - Grey 105 x 70 x 90 mm (H x W x D)





Lapis

Warm white 2,6 W 230 lumen Polyresin - Grey 110 x 145 x 90 mm (H x W x D)





Wall lights

A wall lamp from Garden Lights for atmospheric light in your garden, on the fence, by the front door or on the terrace. Choose from our wide range of modern & classic wall lights.

Fidas



Warm white Filament 3,5 W 280 lumen Aluminum - Black 380 x 120 x 200 mm (H x W x D)



Filament 3,5 W 280 lumen Aluminum - Black 220 x 120 x 120 mm (H x W x D)

Boaz

Warm white

150 lumen

280 lumen

Aluminum - Black

Warm white / White

Aluminum - Anthracite

80 x 140 x 140 mm (H x W x D)

50 / 55 lumen

80 x 67 x 92 mm (H x W x D)

1,8 W



Aluminum - Black 107 x 164 x 70 mm (H x W x D)

Warm white 4 W 310 lumen Aluminum - Black

80 x 70 x 92 mm (H x W x D)

Gilvus

Gilvus Smart (Zigbee) RGB 5 W



🙋 zigbee

Warm white 2 x 6 W 125 lumen Aluminum - Black 100 x 140 x 115 mm (H x W x D)

Goura



Deimos

Warm white / White 1,5 W 50 / 55 lumen Aluminum - Black 80 x 140 x 140 mm (H x W x D)

Warm white 1,2 W 110 lumen Stainless steel 316 60 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø



Warm white 1,1 W 100 lumen Aluminium/Glass - Rust brown 230 x 120 x 180 mm (H x W x D)

Callisto 3094071



1,5 W















Warm white Filament 3,5 W 280 lumen Aluminum - Black 450 x 120 x 220 mm (H x W x D)

22



3184011

Warm white 2 x 4 W 310 lumen Aluminum - Black 152 x 70 x 92 mm (H x W x D)





2 COLOR





Warm white 2 x 3 W 125 lumen

Mauri

Aluminum - Black

100 x 100 x 100 mm (H x W x D)









Warm white 1 W 35 lumen Stainless steel 304 60 x 100 x 100 mm (H x W x D)



Nano

Warm white 2 W 150 lumen Aluminum - Grey 90 x 70 x 65 mm (H x W x D)





Post lights

Our post lights are suitable for gardens, driveways or terraces. From detailed classic examples to modern and sleek designs, there's something for everyone in our wide range of raised fixtures.

Lunia



1,8 W 150 lumen Aluminum - Black 780 x 160 x 160 mm (H x W x D)



150 lumen Metal - Black 555 x 80 x 127 mm (H x W x D)



Limosa 70* 3190011 Warm white

Filament 3,5 W 280 lumen Aluminum - Black 680 x 120 x 120 mm (H x W x D)



Reno

Warm white 6 W 350 lumen Aluminum - Black 600 x 95 x 150 mm (H x W x D)



White 1,5 W 88 lumen Polyresin/Glas Stone effect anthracite

600 x 105 x 105 mm (H x W x D)

Nepos*

Warm white 2,6 W 230 lumen Polyresin/Glas -Stone effect Grey

Albus

Warm white 1,5 W 170 lumen Stainless steel 304

410 x 60 x 60 mm (H x W x D)

Warm white 1,5 W

170 lumen Stainless steel 304

Lunia Black

Warm white / White 1 W 90 lumen Stainless steel 304 440 x 60 x 60 mm (H x W x D)

Laurus

Warm white 1,1 W 95 lumen Synthetic - Anthracite 365 x 120 x 120 mm (H x W x D)

Deva

Warm white / White 1,8 W 150 lumen Synthetic - Cement colour 457 x 60 x 60 mm (H x W x D)

400 x 105 x 105 mm (H x W x D)

Atila

610 x 60 x 60 mm (H x W x D)

Lunia

Warm white / White 1 W 90 lumen Stainless steel 304 440 x 60 x 60 mm (H x W x D)

4138603

Larix

Warm white 1,1 W 95 lumen Synthetic - Anthracite 315 x 100 x 100 mm (H x W x D)

* Optional: Universal ground spike is available separately (page 29).







Warm white / White 1,8 W 150 lumen Synthetic - Cement colour 617 x 105 x 105 mm (H x W x D)

















Warm white 2 W 85 lumen Synthetic - Anthracite 160 x 60 x 60 mm (H x W x D)







Warm white / White 1 W 90 lumen Stainless steel 304

600 x 60 x 60 mm (H x W x D)





Warm white 2 W 100 lumen Aluminum - Black 440 x 190 x 190 mm (H x W x D)





Deck-/Uplights

Illuminating ground spots

Ground spot lights can be used to illuminate a tree or object and you can easily incorporate them into gravel or sand. Ground spots aren't very noticeable during the day, but they create a beautiful effect in the evening!

Rubum

Gavia 4134601

Warm white / White 2 W 85 / 90 lumen Stainless steel 304 115 x 115 x 115 mm (H x W x D) Including ground tube Drillhole 90 mm Ø

2 COLOR SWITCH

Rubum



Aluminum - Black 110 x 155 x 155 mm (H x W x D) Including ground tube Drillhole 120 mm Ø



Adjustable reflector

💋 zigbee

Rubum Smart (Zigbee)



100 x 155 x 155 mm (H x W x D) Including ground tube

Drillhole 120 mm Ø Gateway Smart required



Adjustable reflector

Orientation lights

Orientation spotlights can be installed in decks or stones. Place them randomly for a lovely effect or in a line to show the edge of a path.

The following ground spots for orientation lighting can easily be connected to each other:



Astrum

Acis

Blue 0,3 W 1 lumen Stainless steel 304 28 x 40 x 40 mm (H x W x D)



Drillhole 30 mm Ø

Warm white 0,2 W 15 lumen Stainless steel 304

Drillhole 30 mm Ø

Alpha

Alpha

Atria

Warm white

0,5 W

10 lumen

Stainless steel 316

Drillhole 30 mm Ø

45 x 42 x 42 mm (H x W x D)

White 0,5 W 10 lumen Stainless steel 316

46 x 42 x 42 mm (H x W x D) Drillhole 30 mm Ø

Blue 0,5 W 2 lumen Stainless steel 316 46 x 42 x 42 mm (H x W x D) Drillhole 30 mm Ø

Brevus

White 1 W 35 lumen Stainless steel 304 52 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø

Sirius

Warm white 1 W 35 lumen Stainless steel 316 52 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø

5 lumen Stainless steel 316 52 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø

Sirius

Blue

1 W



Wit 0,3 W 1 lumen Stainless steel 304 28 x 40 x 40 mm (H x W x D) Drillhole 30 mm Ø





20 x 40 x 40 mm (H x W x D)







Alpha

Warm white 0,5 W 10 lumen Stainless steel 316 46 x 42 x 42 mm (H x W x D) Drillhole 30 mm Ø



Birch

Warm white 0,5 W 10 lumen Stainless steel 304 45 x 40 x 40 mm (H x W x D) Drillhole 30 mm Ø

4057603

Larch

Warm white 1 W 35 lumen Stainless steel 304 52 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø

4058603

Leda

Warm white 1 W 35 lumen Stainless steel 316 52 x 70 x 70 mm (H x W x D) Drillhole 60 mm Ø







Decorative lights

A pleasant atmosphere in your garden enhances the outdoor experience, making it almost indispensable! Our decorative lights are real 'eye-catchers' that stand out in every garden. Within the range, you will find the lighting you are looking for, so you can create the desired atmosphere in your garden.

Partylights Filament

Partylights

2607061

Warm white 8 W 60 lumen (per bulb) Synthetic - Black 10 m (10 bulbs)



Partylights Filament

2612061

Warm white 8 W 30 lumen (per bulb) Synthetic - Black 5 m (10 bulbs)



Linea All Seasons

7523010

Warm white 4,5 W 7,5 lumen (per LED) Synthetic - Black 10 m (100 LED's)



0

Round 30 Smart (Zigbee)

2615451

5 W 280 lumen Polyethylene - White Ø 300 mm Gateway Smart required

Round 40 Smart (Zigbee)

2616451

5 W 280 lumen Polyethylene - White Ø 400 mm Gateway Smart required





Round 50 Smart (Zigbee)

2617451

5 W 280 lumen Polyethylene - White Ø 500 mm Gateway Smart required



Accessories

The installation of 12-Volt outdoor lighting requires accessories such as: transformers, cables and connectors.

12 Volt Flex Main cables*

6259011Flex Main cable 10 meters (SPT-2W 16AWG)6260011Flex Main cable 25 meters (SPT-2W 16AWG)6281011Flex Main cable 50 meters (SPT-2W 16AWG)

12 Volt Flex Connectors

6261011 Female 6262011 Male





12 volt Extension cables

1381011Extension cable - 0,3 meters (SPT-2W 16AWG)6154011Extension cable - 2 meters (SPT-1W 18AWG)6005011Extension cable - 6 meters (SPT-1W 18AWG)6056011Extension cable - 10 meters (SPT-3W 16AWG)6177011Extension cable - 2 meter rubber

et.
10

UK

6273011 6313011 6314011

-	
EU	

1 6270011 max. 24 W 1 6311011 max. 60 W 1 6312011 max. 150 W







* Connector tool included for easy installation



12 Volt Connectors

 6013011
 Connector (SPT-1 > SPT-1)

 6014011
 Connector (SPT-1 > SPT-3)



CONNECTOR Repair of defective cables




SCREWCONNECTOR Light connection



Cable Splitter

6006011

Cable splitter 15 cm SPT-2W 16AWG (with 3 connectors)



12 Volt Remote Control + Outdoor Receiver

 6148011
 12 V Remote + Receiver, max 150 W

 6149011
 12 V Receiver, max 150 W

- 9 groups of receivers can be controlled separately with

one remote control, per receiver max. 150 W.

- Range up to approx. 40 metres (in open terrain).

Remote control works on radio frequency.Batteries included.

12 Volt Dusk to Dawn Sensor + Timer

6009011

- Max. 150 W

- 1 Meter cable
- On/off

- Dusk- / dawn sensor

- 1-9 hours

- Uses 1 Watt loading

Universal ground spike

1363011

The groundspike is the ideal and practical solution to secure the following garden lights:

• Kolossos

• Nepos

• Limosa

- The round plate is Ø 185 mm and the ground spike goes 300 mm in the ground.

Light sources

To replace your current light source, see www.garden-lights.com/downloads for an overview of all lights sources.



ス





Jona Tube

3226011

The Jona Tube is an accessory for the Jona spotlight. Simply attach the Jona spotlight to the tube. Place the tube with ground spike in your garden to direct lighting from above or aim the spotlights at taller plants.









💋 zigbee

Motion Sensor Smart (Zigbee)

6320451

Synthetic - White Detection range up to 10 meters Detection angle 120 degrees Includes 2 AAA Batteries 70 x 70 x 32 mm (H x W x D) Gateway Smart required



Gateway Smart (Zigbee)

6319451

Synthetic - White 64 x 64 x 15 mm (H x W x D) IP 20 The Gateway translates the Wi-Fi signal to Zigbee. Thus, the Gateway provides communication with our Smart luminaires and Motion Sensor Smart.



WIFI

Camera Smart (Wi-Fi)

6299451

Synthetic - White 71 x 66 x 188 mm (H x W x D) Consumption 7 watt Switch Smart required • Combines motion with smart outdoor lighting • Detects motion up to 10m • Detection angle 65° • Cloud data storage

- (optional) Local storage on micro SD card
- IP65 certified product
- Night vision (IR)
- Install max. 40 meters from router



Switch Smart (Wi-Fi)

6298011

Synthetic - Black Minimal load: 5W 75 x 70 x 30 mm (H x W x D)

Check out our website & socials for more inspiration!



www.polned.pl





07042025